
550 Chain Saw UT-10458 Page 1 of 12





550 Chain Saw UT-10458 Page 2 of 12




550 550W 550SL


No.	Description	Part No.	Oty.	No	. Description	Pari No.	Gly
		70019-1		52	ISOLATOR- Vibration	A-70421-A	_
2	PIN- Groove	12462	1	53	FILTER- Fuel	A-58251	1
3	LEVER- Choke	12820	1		Includes:		
	ROD- Choke	12349	1	54	FILTER- Felt	59253-1	1
.5	BOOT- Choke rod	56848	1	65	TANK- Fuel & QII	A-12395-3	
6	PIN- Groove, choke	12423	٦	66	NUT- Hex. 10-24 gripoz	81208	9
7	PIN- Trigger	68548	1	57	SCREW- Hex, Same 10-24 x 1/2"	88049	1
8	PIN- Groove, throttle latch	12481	1	58	PLATE- Spiked bumper (550W)	A-12461-B	
9	SCREW- Drive	80001	1	59	PLATE- Spiked bumper (550, 5508L)	A-12480-B	1
10	SPRING	12457	1		items #68 & 59 include:		
11	SPRING LOCKOUT SPRING- Torsion, throttle latch SCREW- Set (starting speed ad). LATCH- Throttle	12330	1	60		91068	2
12	SPRING- Torsion, throttle latch	12454	1	81	WASHER- Lack #12	70901	2
18	SCREW- Set (atarting speed ad).	1244D	1	62	SCREW- Pan, 12-24 x 1/2"	80263	2
		12484-1			1401- tiek, libtige are-te	12860	2
	TRIGGER- Throttle	12362	1	64	COVER- Drivecase (550, 550W)	A-12334-1	1
	SPRING- Throttle trigger	12441	ŧ		NOTE: See Figure 4 for 660SL D'oass		
	ROD- Throttle	12350	1		includes:		
	BOOT- Throitie rad	67634	1	65	ADJUSTER- Guide bar	A-70894	1
18	COVER- Air filter	A-70057-B	1	86	PIN- Guide þer aðjúeler	B3038	1
	Includes:			67	PLATE- Gulde bar (outar)	70400	1
20	NUT- Air filter oover	A-67639-2		68	BUSHING	70693	1
21	RING- Retaining	58319-A	. 1	68	SCREW- Adjuster	A-12748	1
22	BRACKET- Cover mounting	A-93297	1	70	COVER- Gear	12134	٦
	INSERT- Air filter cover (solid)	12433	1	71	SCREW- Pan, 6-32 x 9/8"	80571	2
	SCREW- Pan, 8-32 x 1/4"	80575	2	72	SCREW- Truss hd. 8-32 x 3/8"	BQ548	1
26	· · · · · · · · · · · · · · · · · · ·	12990	1		PLATE- Guide bar (inner)	70399	1
26	FILTER ELEMENT- Air	94108	1	74	BRACE- Throtile handle	12348-27	
27	SCREW- Hex, Sems, 10-24 x 2 21/64"	70027	2	75	SCREW- Hex, Sems, 10-24 x 7/8"	88052	1
28	CARBURETOR (SDC-69A) SPACER- Carburetor COVER- Throttle bandle	A-939 54 -B			6CREW- Hex, Seme, 8-32 x 3/8"	88041	4
29	SPACER- Carburetor	12340	1		SNUBBER- Rear	A-12803-A	1
•••		12361	1	78	SHIELD- Muffler	A-70255	1
	BCREW- Hex, Serus 10-24 x 5/8"	88050	6		Includes:		
	GROMMET- Carburetor adjustment	66196	·i	79	SEAL	70377	1
	SCREW- Idle speed adjustment	12783	t	80	CUSHION .	70378	1
	SPRING- Idle speed screw	12784	ſ		HEAT ISOLATOR	94566	1
35	HANDLE BAR- Full wrap-ground (660W)	A-98939	1	B2	BUMPER	12096	2
	Includes:			83	HANDLE- Throffle	A-70069-C	1
38	BUSHING	89187	1		includes:		
37	SCREW- Soc hd. 10-24 x 1"	82248	4	84	LINE- OII	A-70267	1
30	HANDLE BAR- Flush-cut (550, 560SL)	A-94077	. 1		Includes:		
	TUBING- 11 1/4" (manual oiler pick-up)	B3112-48		85	GROMMET	63312-1	1
	GROMMET- Fuel line	86046	1	86	NUT	25302	1
41	TUBING- (fuel pick-up) 10 1/2"	94772-43		87	SLEEVE	26301	2
	TUBING- 10 1/4" (auto, oller pick-up)	93112-41		88	SLEEVE LINE: Pulse 3 1/4" VALVE: Outlet check	93157-13	
	CAP- Fuel filler (with 59501 Gasket)	A-69500-A		89	VALVE- Quilet check	A-65077	1
44	CAP- Oli Filler (with 12126 Geeket)	A-12222	1	90	AWTAE- INIBI CHARK .	A-12967	1
	Items #48 & 44 (notude:			91	PLUNGER- Mazuel oil pump	A-67235-A	1
45	VALVE- Check (duck b(iii)	69461	1	00	Includes:	50.00	
46	FILTER- Porous metal	69454	1	92	"O" RING	58400	ſ
47	CHAIN- Bead	69602	1	93	ROD- Plunger	A-84094	1
4B	RETAINER	69603	1		Includes:		
49	SCREW- Pan hd. 8 x 1/4"	82256	1	94	NUT- Plunger	65082	1
	FILTER- Oil SCREW- Hex, Sems 10-24 x 3/4"	A-64293	2	95	BUTTON- Manual ciler	65084	1
		68061	4	96	"O" RING	59074	1

3

550 Chain Saw UT-10458 Page 4 of 12




No	. Osserigiları	Parl No.	Qly.	No.	Description	Port No.	Ωtγ.
٦	SHIELD- Cylinder	A-12406-A	1	38	SCREW- Hek Sems 6-32 x 3/6"	58041	2
	Includes:			39	ARRESTOR- Spark (STD on 660W only)	A-93897-A	. 1
2	BUSHING- Nylon	12893	2	40	8CREW- Cap hex soc 1/4-20 x 5/8"	B2302	2
3	SCREW- Hex Sems 10-24 x 5/8"	98050	10	41	GASKET- Muffler	94760	1
- 4	TRANSFORMER	A-12299-A	1	42	SCREW- Pan 10-24 x 1/2"	82216	1
	Includes:			48	WASHER- Retaining	12769	1
- 5	SCREW- Hax washer hd.	70068	2	44	BUSHING- Stanler post PULLEY- Stanler	12689	2
•	GROMMET	12191	1	45	PULLEY- Starter	A-70199	1
7	PLATE- Indicating	12793-A	1		includes:		
8	NUT- Hex centeriook 10-24	81208	3	46	WASHER- Nylon	93882	1
9	RETAINER- Nut	12889	3	47	ROPE- Starter RING- Shleid retaining BHIELD- Spring (Inner) SPRING- Rewind	A-93675	1
10	SWITCH- Toggle	A-12449	1	48	RING- Shield retaining	63876	1
-	Includes:			49	BHIELD- Spring ((nner)	12321-B	1
11	NUT- Hex	72084-A1	1	50	SPRING- Rewind	12324	1
12	LEAD- Module	A-12719	1	51	LOCK- Rewind spring	12465	1
	GROMMET	88279	1	52	SHIELD- Spring (outer)	12320-A	1
	CONTACT- Ground	70720	i	53	COVER- Starter housing	A-70726-1	i
15	RECEPTACLE- Transformer	A-70088	i	54	DECAL- 660	93085	1
	CONTACT- Transformer	12768	ġ	55	SCREW- Pan hd. 8-32 x 1/2"	82254	3
	SCREW- Pan hd., plastite #6 x 3/8"	82215	Ž	56	WASHER- Thrust (Inner)	83482	ī
	TIE- Cabis	12298	ī	-+	(for rim aprocket only)		•
	GRIP- Starting rope	A-89982-A	1	67	RACE- Inner	54128-A	ſ
	Includes:		•		BEARING- Roller	64124	i
20	(NSERT- Rope retaining	7001B-A	1		SPROCKET- 7 apline 7T - 3/8" pitch	63284	Ì
21	HOUSING- Starter	A-12960	i	60	DRUM & HUB	A-94117	Ť
	Includes:		•		WASHER- Thrust	93850	i
22	BUSHING- Starter Rope	67177	1	62	ORUM & HUB WASHER- Thrust SHOE- Clutch BPIDER- Clutch SPRING- Clutch SOREW- Tork	A-94126	ä
23	NUT- 3/8-24	81233	1		BPIDER- Clutch	93811	1
24	STUC- Shoulder	83079	2	84	SPRING- Clutch	93814-A	3
25	WASHER- Flat 3/6" I.D.	84089	1		SCREW- Tork	93126	3
26	SPRING- Starter pawl	653 76	2		SCREW- Mach. pan hd. 8-32 x 3/8" (alternata)	82253	3
27	PAWL- Starter	84442-B	2	56	COVER- Clutch	93628	Ť
	WARHER- Lock starter pawl	83056	2		CAP- Mulfler (downdraft) (accessory)	A-70038	i
	ROTOR	70924	1		Includes:		•
30	WASHER- Flat #8	84101	ż	68	PLATE- Baffle	12480	1
	SCREW- Hex Seme 8-32 x 1.25"	20045	2	80	SCREW- Hex Sems 6-82 x 5/5	88043	ż
	MODULE & CORE	12869-A	ī		THE THOU SOME DOE A GIG		-
	SCREW- Hax Sems 10-24 x 7/8"	88062	i				
	CLIP- Wire	12886	i				
	SCREW- Hex Sems 10-24 x 3/4*	59051	i		ACCE860 RIES		
	MUFFLER	A-12411-1D			SPROCKET & DRUM (7T-3/6" pitch)	A-94116	
	CAP- Muffler exhaust		ŕ		WASHER- Thrust (spur sprooket only)	83483	
٠,	THE PRESENT OF LEAST	- E-00-1	'		Indianalia intest jesut spidotot (III)	- CANTERDA	



550 Chain Saw UT-10458 Page 7 of 12

N	. Description	Part No.	Qly
1	SCREW- Hex, Sems 10-24 x 6/8"	89050	7
2	SHIELD- Sawdusi	12338-2	1
3	ŞPARKPLUG DJ-ÐJ	65130-8	1
	SPARKPLUG CJ4 (optional)	89027-8	1
	GASKET- Intake manifold	12314-8	1
5	MANIFOLD- Intake	12313	1
	GROMMET	64652	1
7	SCREW- Hex Sems 10-24 x 1/2	6804 0	2
В	CONNECTOR- Carburetor	12848-A	1
	SPRING- Garter	12406	1
10		A-70378	1
	Includes		
11	SEAL	70977	1
12		A-93995	1
	Includes		_
13	PISTON RING	12911	2
14		A-70868-1B	1
	includes		
15	LINE- Pulse (3 25 long)	93167-13	
18	FITTING- Tube	69833	2
17	NUT- Hex, 10-24 Gripco	81208	ð
18	SPRING- Check valve	68670	1
19	BALL- Check valve	80061	1
20	"O" RING	74388	2
21	RING- Retaining	12996	1
22	BODY- Automatic oil pump	A-94236	1
23	SPRING- Oil pump	84834	1
24	PLUNGER- Oil pump	A-12356-B	1
25	GASKET	89244-1	2
28	COVER- Od pump	69224-2C	
27	8CREW- Pan hd 8-32 x 3/8	80571	3
28	FITTING- Straight	31738-1	1
28	BOLT- Guide bar	70958	1
30	PIN- Dowel	59761	1
31	BOLT- Guide bar	12397	1
12	SCREW- Hex Same 10-24 x 1 1/4"	88054	1
33	SCREW- Hex Sems 10-24 x 1 3/8"	66055	4
14	SCREW- Hex Sems 10-24 x 2"	86057	1
35	SCREW- Hex SEMS 10-24 x 1"	88053	2
	GASKET- Mulfler (Not shown)	94750	1
16	CLAMP.	70816	1
17	FILTER (to cover pump vent hole)	70984	1
38	STOP- Chain	70705	1
10		88042	2
ю		A-70300-1B	τ
	Includes	onnad	2
41	SCREW-Sec, hd cap	69919	
42		A-70798	1
13		75078	1
44		A-12938-C	1
45	includes	CORGO	
	SNUBBER	12828	1 2
	SEAL- Main	12306	5
	RING- Retaining	12310	
	BEARING- Roller (main) CRANKSHAFT	83185	2
iD.		7028 9-2 A 93112 -41	1
))(A-70267	1
, (A-10201	1
2	includes	25302	2
18	NUT- Compression SLEEVE- Compression	25302 25301	1
,,,	GROMMET (Not shown)	\$3312-1	i
	Principle (MOCOLOWII)	4441E-1	1

550 Chain Saw UT-10458 Page 8 of 12



No.	Description	Part No.	Qty.
	KIT- Chain brake	A-93916	ſ
	Includes		
1	SCREW- Soc cap hd	80428-1	1
2	WASHER	93282	3
3	SPRING- Brake laver	93603	3 1 1
4	SLEEVE- Lever	93296	1
6	COVER- Drivecase	A-83969-A	•
_	Includes		-
6	NUT- Centerlock	81204	1
5789	PIN- Guide bar adjusting	93038	ŕ
g	SCREW- Guide bar adjusting	94683	i
à	"O RING"	59074	1
10	LEVER- Brake w/guard	A-93775-A	•
	Includes:		•
11	BEARING- Roller	93625	٦
12	"E" RING	70825	1
13	SPRING- Looking lever	93600	ŕ
14	LEVER- Locking	93602	í
15	SCREW- Shoulder	93773	i
18	BRAKE BAND	A-94660	ſ
	Includes	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	•
17	"E" RING	69599	1
18	DRUM & HUB	A-04117-2	1
10	SCREW- Pan hd: 1/4-20 x 5/8	82258	•
20	SCREW- Truss hd 6-32 x 3/8	80646	1
21	PLATE- Guide bar	70400	i
22		88042	ź
23	STOP- Chain	70705	ī


550 550W

1 KIT- Hand guerd A-83969 1 Includes 2 WASHER- Flat 94897 1 3 SCREW- Shoulder 93914 1 4 WASHER- Belleville 70786 1	Na.	Description	Part No.	Qly.
2 WASHER- Flat 94887 1 3 SCREW- Shoulder 93814 1 4 WASHER- Believille 70788 1	1	KIT- Hand guard	A-83969	1
S BOREW- Shaukdar 93814 1 WASHER- Believille 70788 1	_	Includes	n.466÷	
WASHER- Belleville 70788	×	WASHER- FIRM	84601	4
	3	MASHER- Ballaulla	7078A	4
2 0 0 4	-	TANDILLI DOIDTILE	10100	•
Am of the			^	
			2	_
Pro Q				(a)
Pro Q 4				S.
Am of the				M
4			(Q)	()(
4		~~~		112
4		ر 🚄	7	V
7 4		\sim	١.	
\		77	4	
\ <u></u>		\	-	
•			2	
3			J	

NOT SHOWN KIT- Hand guard (right)	A-12267-A	1
Includes SCREW- Hex sec , 10-24 × 3/8	82275	2
NUT- Centerlack WASHER	81208 84003-1	2
		_
EXCHANGER- Heat (accessory) Includes	A-94983	1
INSERT- Air filter cover	12 99 0	1
SCREW- Hex Sems8-32 x 1/2"	88042	4
NUT- Hex, centerlock 8-32	81223	2

NOTE: Heat Exchanger will not be available until Fall 1979

550 Chain Saw UT-10458 Page 10 of 12



¹⁰

550 Chain Saw UT-10458 Page 11 of 12

550 550W 550SL

ACCESSORIES AND TOOLS

ACCESSORIES

Compound (DC4) Silicone Grease for transformer spring Adhesive (14 gram tube) cylinder shield bushing and	22636-A 70627
bumper in back plate	12027
Starter Rope- 250 ft. reel -#5	57084-1
Tubing, Rubber- 10 ftfuel & oil	93112-89
Tubing, Rubber- 10 ffpulse line	93157-99
Tubing, Rubber- 10 ftfuel pick-up	94772-99
Sprocket & Drum (SL units only) (Spur type)	A-94116-2
Silastic- for cylinder flange, muffler gasket and	24823
multier ecrews.	

TOOLS

Bit, Torx- (drive with 1/4" socket-clutch plate screws)	17115-01
Bit, Torx- (drive with 5/16" socket-clutch plate screws)	17115-02
C.D. Test Lamp-Ignition check	A-24994
Key, Hex- Connecting Rod	23528
Puller, Rotor	A-24290
Screwdriver (550/550SL) use to drive 66651 wrench	24541
Shim- Yellow .020 -Rotor Air Gep	24853
Sleeve- Seal -crankshaft assembly	23759
Tool & Plunger -Piston Pin assembly and removal	A-24871
Tool, Clutch Removal3 shoe lined	A-17146
Wrench, Combination (650W) -Quide bar nuts	A-24284
Wrench, Socket -Spark plug	68651
Key, Hex 3/18" for muffler screws-use with 68651 wrench	94624
Wrench, Combination (will supersede 94624 in Fall 1979	17302

550 Chain Saw UT-10458 Page 12 of 12

19732

